




MANUAL BOOK SIMAPO

Sistem Informasi Manajemen Proyek



PEMEGANG HAK CIPTA


Rangga Aprilio Utama, Cahyani Budihartanti, Tuslaela, Indah Purnamasari, Sri Rusiyati,
Abdul Rahman Kadafi, Indra Riyana Rahadjeng, Firstianty Wahyuhening Fibriany

SIMAPO (Sistem Informasi Manajemen Proyek)


SIMAPO (Sistem Informasi Manajemen Proyek) yaitu *Software Project Management* dimana *software* yang dibuat untuk mengatur manajemen tugas, waktu pengerjaan dan kerjasama dalam sebuah tim. Aplikasi ini dapat memudahkan seorang proyek manajer dalam mengelola tugas-tugas terkait dengan proyek yang sedang di kerjakan. Untuk menjalankan aplikasi *Project Management* ini pengguna dapat mengakses alamat Url <https://task.devapril.com/>

MENGAKSES HALAMAN USER


1. Ketikkan alamat URL <https://task.devapril.com/> berikut adalah tampilan login dari aplikasi *Project Management* ini:




2. Setelah melakukan login pengguna akan langsung di arahkan ke halaman dashboard, berikut adalah tampilannya:




3. Pada menu project terdapat menu untuk menambah project dan list project yang sebelumnya telah dibuat



4. Pengguna bisa klik list project untuk melihat detail dari proyek, di dalam detail proyek pengguna bisa melihat tugas tugas yang ada melalui task board ,melihat gannt chart atau menambah team member



5. Pada Menu taskboard, pengguna dapat menambah melihat mengubah serta menghapus task yang ada



6. Pada menu task pengguna bisa melihat secara keseluruhan terkait tugas yang sedang berjalan

The screenshot shows the 'Tasks' page in the WorkingOn application. The left sidebar is dark blue with the 'Tasks' menu item highlighted in orange. The main content area has a white background with a header for 'Tasks' and a search bar. Below the search bar is a table of tasks. The table has the following columns: Task, Project, Milestone, Due Date, Assigned to, Status, Priority, and Action. The tasks listed are:

Task	Project	Milestone	Due Date	Assigned to	Status	Priority	Action
CREATE DASHBOARD UI	Ecommerce	SPRINT 1	2021-11-08	UIUX	Done	Low	[Edit] [Delete]
CREATE UI SETTING	Ecommerce	SPRINT 1	2022-01-08	UIUX	In Progress	Low	[Edit] [Delete]
CREATE DB	Ecommerce	SPRINT 1	2022-01-08	Programer1	Done	Low	[Edit] [Delete]
CREATE DATABASE AND FLOW for Profile store	Ecommerce	SPRINT 1	2022-01-17	analisis UIUX	In Progress	Low	[Edit] [Delete]
CREATE API FOR DISCOUNT FEATURE	Ecommerce	SPRINT 1	2022-01-19	Programer1	In Progress	Medium	[Edit] [Delete]
Buat UI Cart	Ecommerce	SPRINT 2	2022-01-19	UIUX	Review	Low	[Edit] [Delete]
CREATE CART UI	Ecommerce		2022-01-20	Programer1	Done	Medium	[Edit] [Delete]


7. Pada menu Invoice pengguna dapat membuat invoice, mengubah maupun menghapus invoice yang sudah dibuat

The screenshot shows the 'Invoices' page in the WorkingOn application. The left sidebar is dark blue with the 'Invoices' menu item highlighted in orange. The main content area has a white background with a header for 'Invoices' and a search bar. Below the search bar is a table of invoices. The table has the following columns: Invoice, Name, Issue Date, Due Date, Amount, Status, and Action. The invoices listed are:

Invoice	Name	Issue Date	Due Date	Amount	Status	Action
#INV0003	Ecommerce	03 Jan 2022	14 Jan 2022	Rp976,877.00	Paid	Mengubah dan menghapus [Edit] [Delete]
#INV0004	Ecommerce	02 Jan 2022	20 Jan 2022	Rp0.00	Sent	[Edit] [Delete]
#INV0005	Ecommerce	02 Jan 2022	19 Jan 2022	Rp0.00	Sent	[Edit] [Delete]


A '+ Create' button is highlighted in a red box in the top right corner of the page.

8. Pada menu users scrum master dapat menambahkan user baru




Halaman Client


1. Client dapat mengakses alamat URL <https://task.devapril.com> lalu pilih menu client login. berikut adalah tampilannya :




2. Ketika client berhasil login, maka halaman akan di alihkan ke Dashboard



3. client dapat melihat detail invoice dengan memilih nomor invoice nya



4. Jika di perlukan client dapat mencetak invoice dengan memilih tombol print



-TERIMA KASIH-

SOURCE CODE SISTEM INFORMASI MANAJEMEN PROYEK

a. User Controller

```
class UserController extends Controller
{
    /**
     * Create a new controller instance.
     *
     * @return void
     */
    /**
     * Show the application dashboard.
     *
     * @return \Illuminate\Contracts\Support\Renderable
     */
    public function index($slug = "")
    {
        $currentWorkspace = Utility::getWorkspaceBySlug($slug);
        if($currentWorkspace)
        {
            $users = User::select('users.*', 'user_workspaces.permission',
'user_workspaces.is_active')->join('user_workspaces', 'user_workspaces.user_id', '=',
'users.id');
            $users->where('user_workspaces.workspace_id', '=', $currentWorkspace->id);
            $users = $users->get();
        }
        else
        {
            $users = User::where('type', '!=', 'admin')->get();
        }

        return view('users.index', compact('currentWorkspace', 'users'));
    }

    public function create(Request $request)
    {
        if(Auth::user()->type == 'admin')
        {
            return view('users.create');
        }
        else
        {
            return redirect()->back()->with('error',__('Permission denied.'));
        }
    }

    public function store(Request $request)
    {
        if(Auth::user()->type == 'admin')
```

```

{
  $validation = [
    'name' => ['required', 'string', 'max:255'],
    'workspace' => ['required', 'string', 'max:255'],
    'email' => ['required', 'string', 'email', 'max:255', 'unique:users'],
    'password' => ['required', 'string', 'min:4'],
  ];

  $validator = \Validator::make($request->all(), $validation);

  if($validator->fails())
  {
    $messages = $validator->getMessageBag();
    return redirect()->back()->with('error', $messages->first());
  }

  $objUser = User::create([
    'name' => $request->name,
    'email' => $request->email,
    'password' => Hash::make($request->password),
  ]);

  $objWorkspace = Workspace::create([
    'created_by'=>$objUser->id,
    'name'=>$request->workspace,
    'currency_code' => 'USD',
    'paypal_mode' => 'sandbox'
  ]);

  $objUser->currant_workspace = $objWorkspace->id;
  $objUser->save();

  UserWorkspace::create([
    'user_id' => $objUser->id,
    'workspace_id' => $objWorkspace->id,
    'permission' => 'Owner'
  ]);

  return redirect()->route('users.index', "")->with('success',__('User Created Successfully'));
}
else
{
  return redirect()->back()->with('error',__('Permission denied.'));
}
}
}

```

b. project controller

class ProjectController extends Controller

```

{
/**
 * Display a listing of the resource.
 *
 * @return \Illuminate\Http\Response
 */
public function index($slug)
{
    $objUser      = Auth::user();
    $currentWorkspace = Utility::getWorkspaceBySlug($slug);
    if($objUser->getGuard() == 'client')
    {
        $projects = Project::select('projects.*')->join('client_projects', 'projects.id', '=',
'client_projects.project_id')->where('client_projects.client_id', '=', $objUser->id)-
>where('projects.workspace', '=', $currentWorkspace->id)->get();
    }
    else
    {
        $projects = Project::select('projects.*')->join('user_projects', 'projects.id', '=',
'user_projects.project_id')->where('user_projects.user_id', '=', $objUser->id)-
>where('projects.workspace', '=', $currentWorkspace->id)->get();
    }

    return view('projects.index', compact('currentWorkspace', 'projects'));
}

/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 *
 * @return \Illuminate\Http\Response
 */
public function store($slug, Request $request)
{
    $objUser      = Auth::user();
    $currentWorkspace = Utility::getWorkspaceBySlug($slug);

    $request->validate(['name' => 'required']);

    $post = $request->all();

    $post['start_date'] = $post['end_date'] = date('Y-m-d');
    $post['workspace'] = $currentWorkspace->id;
    $post['created_by'] = $objUser->id;
    $userList          = [];
    if(isset($post['users_list']))
    {
        $userList = $post['users_list'];
    }
}

```

```

$userList[] = $objUser->email;
$userList = array_filter($userList);
$objProject = Project::create($post);

foreach($userList as $email)
{
    $permission = 'Member';
    $registerUsers = User::where('email', $email)->first();
    if($registerUsers)
    {
        if($registerUsers->id == $objUser->id)
        {
            $permission = 'Owner';
        }
    }
    else
    {
        $arrUser = [];
        $arrUser['name'] = 'No Name';
        $arrUser['email'] = $email;
        $password = Str::random(8);
        $arrUser['password'] = Hash::make($password);
        $arrUser['currant_workspace'] = $objProject->workspace;
        $registerUsers = User::create($arrUser);
        $registerUsers->password = $password;

        $assignPlan = $registerUsers->assignPlan(1);

        try
        {
            Mail::to($email)->send(new SendLoginDetail($registerUsers));
        }
        catch(\Exception $e)
        {
            $smtp_error = __('E-Mail has been not sent due to SMTP configuration');
        }
    }
    $this->inviteUser($registerUsers, $objProject, $permission);
}

return redirect()->route('projects.index', $currentWorkspace->slug)->with('success',
__('Project Created Successfully!') . ((isset($smtp_error)) ? ' <br> <span class="text-
danger">' . $smtp_error . '</span>': ''));
}

public function inviteUser(User $user, Project $project, $permission)
{
    // assign workspace first
    $is_assigned = false;
    foreach($user->workspace as $workspace)

```

```

{
  if($workspace->id == $project->workspace)
  {
    $is_assigned = true;
  }
}

if(!$is_assigned)
{
  UserWorkspace::create(
    [
      'user_id' => $user->id,
      'workspace_id' => $project->workspace,
      'permission' => $permission,
    ]
  );
  try
  {
    Mail::to($user->email)->send(new SendWorkspaceInvitation($user, $project->workspaceData));
  }
  catch(\Exception $e)
  {
    $smtp_error = __('E-Mail has been not sent due to SMTP configuration');
  }
}

// assign project
$arrData = [];
$arrData['user_id'] = $user->id;
$arrData['project_id'] = $project->id;
$is_invited = UserProject::where($arrData)->first();
if(!$is_invited)
{
  $arrData['permission'] = json_encode(Utility::getAllPermission());
  UserProject::create($arrData);
  if($permission != 'Owner')
  {
    try
    {
      Mail::to($user->email)->send(new SendInvitation($user, $project));
    }
    catch(\Exception $e)
    {
      $smtp_error = __('E-Mail has been not sent due to SMTP configuration');
    }
    Utility::sendNotification('project_assign', $project->workspaceData, $user->id,
    $project);
  }
}
}

```

```

}

public function invite(Request $request, $slug, $projectID)
{
    $currentWorkspace = Utility::getWorkspaceBySlug($slug);
    $post            = $request->all();
    $userList       = $post['users_list'];

    $objProject = Project::find($projectID);

    foreach($userList as $email)
    {
        $permission = 'Member';
        $registerUsers = User::where('email', $email)->first();
        if($registerUsers)
        {
            $this->inviteUser($registerUsers, $objProject, $permission);
        }
        else
        {
            $arrUser          = [];
            $arrUser['name']   = 'No Name';
            $arrUser['email']  = $email;
            $password         = Str::random(8);
            $arrUser['password'] = Hash::make($password);
            $arrUser['current_workspace'] = $objProject->workspace;
            $registerUsers     = User::create($arrUser);
            $registerUsers->password = $password;

            try
            {
                Mail::to($email)->send(new SendLoginDetail($registerUsers));
            }
            catch(\Exception $e)
            {
                $smtp_error = __('E-Mail has been not sent due to SMTP configuration');
            }

            $this->inviteUser($registerUsers, $objProject, $permission);
        }
    }

    ActivityLog::create(
    [
        'user_id' => \Auth::user()->id,
        'user_type' => get_class(\Auth::user()),
        'project_id' => $objProject->id,
        'log_type' => 'Invite User',
        'remark' => json_encode(['user_id' => $registerUsers->id]),
    ]
    );
}

```

```

    }

    return redirect()->back()->with('success', __('Users Invited Successfully!')) .
    ((isset($smtp_error) ? '<br> <span class="text-danger"> . $smtp_error . '</span>': ''));
}

```

C. workspace controller

```

class WorkspaceController extends Controller
{
    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     *
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request)
    {
        $objUser = Auth::user();

        $request->validate(
            [
                'name' => [
                    'required',
                    'string',
                    'max:255',
                ],
            ],
        );

        $objWorkspace = Workspace::create(
            [
                'created_by' => $objUser->id,
                'name' => $request->name,
                'currency_code' => 'Rupiah',
                'paypal_mode' => 'sandbox',
            ],
        );

        UserWorkspace::create(
            [
                'user_id' => $objUser->id,
                'workspace_id' => $objWorkspace->id,
                'permission' => 'Owner',
            ],
        );

        $objUser->currant_workspace = $objWorkspace->id;
        $objUser->save();
    }
}

```

```

        return redirect()->route('home', $objWorkspace->slug)->with('success', __('Workspace
Created Successfully!'));
    }

/**
 * Remove the specified resource from storage.
 *
 * @param Int $workspaceID
 *
 * @return \Illuminate\Http\Response
 */
public function destroy($workspaceID)
{
    $objUser = Auth::user();
    $workspace = Workspace::find($workspaceID);
    if($workspace->created_by == $objUser->id)
    {
        UserWorkspace::where('workspace_id', '=', $workspaceID)->delete();
        Stage::where('workspace_id', '=', $workspaceID)->delete();
        $workspace->delete();

        return redirect()->route('home')->with('success', __('Workspace Deleted
Successfully!'));
    }
    else
    {
        return redirect()->route('home')->with('error', __("You can't delete Workspace!"));
    }
}

/**
 * Leave the specified resource from storage.
 *
 * @param Int $workspaceID
 *
 * @return \Illuminate\Http\Response
 */
public function leave($workspaceID)
{
    $objUser = Auth::user();

    $userProjects = Project::where('workspace', '=', $workspaceID)->get();
    foreach($userProjects as $userProject)
    {
        UserProject::where('project_id', '=', $userProject->id)->where('user_id', '=', $objUser-
>id)->delete();
    }
    UserWorkspace::where('workspace_id', '=', $workspaceID)->where('user_id', '=',
$objUser->id)->delete();
}

```



```

        return redirect()->route('home')->with('success', __('Workspace Leave Successfully!'));
    }

/**
 * Remove the specified resource from storage.
 *
 * @param Int $workspaceID
 *
 * @return \Illuminate\Http\Response
 */
public function changeCurrentWorkspace($workspaceID)
{
    $objWorkspace = Workspace::find($workspaceID);
    if($objWorkspace->is_active)
    {
        $currentWorkspace = Utility::getWorkspaceBySlug($objWorkspace->slug);
        $objUser = Auth::user();
        $objUser->current_workspace = $workspaceID;
        $objUser->save();

        return redirect()->route('home')->with('success', __('Workspace Change Successfully!'));
    }
    else
    {
        return redirect()->back()->with('error', __('Workspace is locked'));
    }
}

```

D. Layout admin view

```

<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="{{ csrf_token() }}">

    <title>
        @if(trim($__env->yieldContent('page-title')) && Auth::user()->type == 'admin')
            @yield('page-title') - {{ config('app.name', 'Taskly') }}
        @else
            @yield('page-title') - {{ isset($currentWorkspace->company) &&
            $currentWorkspace->company != " ? $currentWorkspace->company : config('app.name',
            'Taskly') }}
        @endif
    </title>

    <link rel="shortcut icon" href="{{ asset(Storage::url('logo/favicon.png')) }}">

```

```

<!-- Font Awesome 5 -->
<link rel="stylesheet" href="{{ asset('assets/libs/@fontawesome/fontawesome-free/css/all.min.css') }}">
<link rel="stylesheet" href="{{ asset('assets/libs/animate.css/animate.min.css') }}">
<link rel="stylesheet" href="{{ asset('assets/libs/bootstrap-timepicker/css/bootstrap-timepicker.css') }}">
<link rel="stylesheet" href="{{ asset('assets/libs/bootstrap-daterangepicker/daterangepicker.css') }}">
<link rel="stylesheet" href="{{ asset('assets/libs/select2/dist/css/select2.min.css') }}">

@stack('css-page')

<link rel="stylesheet" href="{{ asset('assets/css/site.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/ac.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/datatables.min.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/stylesheet.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/custom.css') }}">
@if(env('SITE_RTL')==on)
    <link rel="stylesheet" href="{{ asset('assets/css/bootstrap-rtl.css') }}">
@endif
<meta name="url" content="{{ url('.') .config('chatify.routes.prefix') }}" data-user="{{ Auth::user()->id }}">
<script src="https://unpkg.com/nprogress@0.2.0/nprogress.js"></script>
</head>

<body class="application application-offset">

<div class="container-fluid container-application">

    <script>
        var dataTableLang = {
            paginate: {previous: "<i class='fas fa-angle-left'>", next: "<i class='fas fa-angle-right'>"},
            lengthMenu: "{{ __('Show') }} _MENU_ {{ __('entries') }}",
            zeroRecords: "{{ __('No data available in table.') }}",
            info: "{{ __('Showing') }} _START_ {{ __('to') }} _END_ {{ __('of') }} _TOTAL_ {{ __('entries') }}",
            infoEmpty: "{{ __('Showing 0 to 0 of 0 entries') }}",
            infoFiltered: "{{ __('filtered from _MAX_ total entries') }}",
            search: "{{ __('Search:') }}",
            thousands: ",",
            loadingRecords: "{{ __('Loading...') }}",
            processing: "{{ __('Processing...') }}"
        }
    </script>

    @include('partials.sidebar')

    <div class="main-content position-relative">

```

```

    @include('partials.topnav')

    <div class="page-content">
      <div class="page-title">
        <div class="row justify-content-between align-items-center mb-3">
          @if(trim($__env->yieldContent('page-title')))
            <div class="col-xl-5 col-lg-4 col-md-12 d-flex align-items-center justify-
content-between justify-content-md-start">
              <div class="d-inline-block">
                <h5 class="h4 d-inline-block font-weight-400 mb-0">@yield('page-
title')</h5>
              </div>
            </div>
          @endif
          <div class="col-xl-7 col-lg-8 col-md-12 d-flex align-items-center justify-content-
between justify-content-md-end">
            <div class="row d-flex justify-content-end">
              @if(trim($__env->yieldContent('action-button')))
                <div class="col-xl-2 col-lg-2 col-md-4 col-sm-6 col-6 pt-lg-3 pt-xl-2">
                  <div class="all-button-box mb-3">
                    @yield('action-button')
                  </div>
                </div>
              @elseif(trim($__env->yieldContent('multiple-action-button')))
                @yield('multiple-action-button')
              @endif
            </div>
          </div>
        </div>
      </div>
      @yield('content')
    </div>

    @include('partials.footer')

  </div>
</div>

<div class="modal fade" id="commonModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog modal-dialog-centered" role="document">
    <div class="modal-content">
      <div>
        <h4 class="h4 font-weight-400 float-left modal-title"
id="exampleModalLabel"></h4>
        <a href="#" class="more-text widget-text float-right close-icon" data-
dismiss="modal" aria-label="Close">{{__('Close')}}</a>
      </div>
      <div class="modal-body">

```

```

        <div class="card card-box">
        </div>
    </div>
</div>
</div>
</div>

```

```

@if(Auth::user()->type != 'admin')

```

```

    <div class="modal fade" id="modelCreateWorkspace" tabindex="-1" role="dialog" aria-
labelledby="createWorkspaceModalLabel" aria-hidden="true">

```

```

        <div class="modal-dialog modal-dialog-centered" role="document">

```

```

            <div class="modal-content">

```

```

                <div>

```

```

                    <h4 class="h4 font-weight-400 float-left modal-title"
id="exampleModalLabel">{{ __('Create Your Workspace') }}</h4>

```

```

                    <a href="#" class="more-text widget-text float-right close-icon" data-
dismiss="modal" aria-label="Close">{{ __('Close') }}</a>

```

```

                </div>

```

```

                <div class="modal-body">

```

```

                    <div class="card bg-none card-box">

```

```

                        <form class="px-3" method="post" action="{{ route('add-workspace') }}">

```

```

                            @csrf

```

```

                            <div class="row">

```

```

                                <div class="col-md-12">

```

```

                                    <label for="workspacename" class="form-control-label">{{
__('Name') }}</label>

```

```

                                    <input class="form-control" type="text" id="workspacename"
name="name" required="" placeholder="{{ __('Workspace Name') }}">

```

```

                                </div>

```

```

                                <div class="col-md-12">

```

```

                                    <input type="submit" value="{{ __('Save') }}" class="btn-create
badge-blue">

```

```

                                    <input type="button" value="{{ __('Cancel') }}" class="btn-create bg-
gray" data-dismiss="modal">

```

```

                                </div>

```

```

                            </div>

```

```

                        </form>

```

```

                    </div>

```

```

                </div>

```

```

            </div>

```

```

        </div>

```

```

    </div>

```

```

@endif

```

```

@php

```

```

    App::setLocale(env('DEFAULT_LANG'));

```

```

    $currentLang = 'en'

```

```

@endphp

```

```

<!-- Scripts -->

```

```
<!-- Core JS - includes jquery, bootstrap, popper, in-view and sticky-kit -->
```

```
<script src="{{ asset('assets/js/site.core.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/progressbar.js/dist/progressbar.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/moment/min/moment.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/bootstrap-notify/bootstrap-notify.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/bootstrap-timepicker/js/bootstrap-timepicker.js')
}}"></script>
```

```
<script src="{{ asset('assets/libs/bootstrap-daterangepicker/daterangepicker.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/select2/dist/js/select2.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/nicescroll/jquery.nicescroll.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/apexcharts/dist/apexcharts.min.js') }}"></script>
```

```
@if(env('CHAT_MODULE') == 'yes' && isset($currentWorkspace) &&
$currentWorkspace)
```

```
    @auth('web')
```

```
        {{-- Pusher JS--}}
```

```
        <script src="https://js.pusher.com/5.0/pusher.min.js"></script>
```

```
        <script>
```

```
            $(document).ready(function () {
                pushNotification('{{ Auth::id() }}');
            });
```

```
function pushNotification(id) {
```

```
    // ajax setup form csrf token
```

```
    $.ajaxSetup({
```

```
        headers: {
```

```
            'X-CSRF-TOKEN': $('meta[name="csrf-token"]').attr('content')
```

```
        }
```

```
    });
```

```
    // Enable pusher logging - don't include this in production
```

```
    Pusher.logToConsole = false;
```

```
    var pusher = new Pusher('{{ env('PUSHER_APP_KEY') }}', {
```

```
        cluster: '{{ env('PUSHER_APP_CLUSTER') }}',
```

```
        forceTLS: true
```

```
    });
```

```
    var channel = pusher.subscribe('{{ $currentWorkspace->slug }}');
```

```
    channel.bind('notification', function (data) {
```

```
        if (id == data.user_id) {
```

```
            $(".notification-toggle").addClass('beep');
```

```
            $(".notification-dropdown .dropdown-list-icons").prepend(data.html);
```

```
        }
```

```
    });
```

```
    channel.bind('chat', function (data) {
```

```

        if (id == data.to) {
            getChat();
        }
    });
}

function getChat() {
    $.ajax({
        url: '{{ route('message.data') }}',
        cache: false,
        dataType: 'html',
        success: function (data) {
            if (data.length) {
                $(".message-toggle").addClass('beep');
                $(".dropdown-list-message").html(data);
                LetterAvatar.transform();
            }
        }
    })
}

getChat();

$(document).on("click", ".mark_all_as_read", function () {
    $.ajax({
        url: '{{ route('notification.seen',$currentWorkspace->slug) }}',
        type: "get",
        cache: false,
        success: function (data) {
            $('.notification-dropdown .dropdown-list-icons').html("");
            $(".notification-toggle").removeClass('beep');
        }
    })
});

$(document).on("click", ".mark_all_as_read_message", function () {
    $.ajax({
        url: '{{ route('message.seen',$currentWorkspace->slug) }}',
        type: "get",
        cache: false,
        success: function (data) {
            $('.dropdown-list-message').html("");
            $(".message-toggle").removeClass('beep');
        }
    })
});
</script>
{{-- End Pusher JS--}}
@endauth
@endif

```

```

<!-- Site JS -->
<script src="{{ asset('assets/js/letter.avatar.js') }}"></script>
<script src="{{ asset('assets/js/fire.modal.js') }}"></script>
<script src="{{ asset('assets/js/site.js') }}"></script>
<script src="{{ asset('assets/js/jquery.dataTables.min.js') }}"></script>
<!-- Demo JS - remove it when starting your project -->
{{--<script src="{{ asset('assets/js/demo.js') }}"></script>--}}
<script src="{{ asset('assets/js/custom.js') }}"></script>
<script>
    var date_picker_locale = {
        format: 'YYYY-MM-DD',
        daysOfWeek: [
            "{{__('Sun')}}",
            "{{__('Mon')}}",
            "{{__('Tue')}}",
            "{{__('Wed')}}",
            "{{__('Thu')}}",
            "{{__('Fri')}}",
            "{{__('Sat')}}"
        ],
        monthNames: [
            "{{__('January')}}",
            "{{__('February')}}",
            "{{__('March')}}",
            "{{__('April')}}",
            "{{__('May')}}",
            "{{__('June')}}",
            "{{__('July')}}",
            "{{__('August')}}",
            "{{__('September')}}",
            "{{__('October')}}",
            "{{__('November')}}",
            "{{__('December')}}"
        ],
    };
    var calender_header = {
        today: "{{__('today')}}",
        month: '{{__('month')}}',
        week: '{{__('week')}}',
        day: '{{__('day')}}',
        list: '{{__('list')}}'
    };
</script>

```

```
@if(env('gdpr_cookie')== 'on')
```

```
<script type="text/javascript">
```

```
var defaults = {
```

```

'messageLocales': {
  /*'en': 'We use cookies to make sure you can have the best experience on our website. If
you continue to use this site we assume that you will be happy with it.'*/
  'en': '{{env(cookie_text')}}'

},
'buttonLocales': {
  'en': 'Ok'
},
'cookieNoticePosition': 'bottom',
'learnMoreLinkEnabled': false,
'learnMoreLinkHref': '/cookie-banner-information.html',
'learnMoreLinkText': {
  'it': 'Saperne di più',
  'en': 'Learn more',
  'de': 'Mehr erfahren',
  'fr': 'En savoir plus'
},
'buttonLocales': {
  'en': 'Ok'
},
},
'expiresIn': 30,
'buttonBgColor': '#d35400',
'buttonTextColor': '#fff',
'noticeBgColor': 'var(--primary)',
'noticeTextColor': '#fff',
'linkColor': '#009fdd'
};
</script>
<script src="{{ asset('assets/js/cookie.notice.js') }}"></script>
@endif

@if(isset($currentWorkspace) && $currentWorkspace)
<script src="{{ asset('assets/js/jquery.easy-autocomplete.min.js') }}"></script>
<script>
  var options = {
    url: function (phrase) {
      return "@auth('web'){{ route('search.json',$currentWorkspace-
>slug) }}"@elseauth{{ route('client.search.json',$currentWorkspace->slug) }}"@endauth/" +
phrase;
    },
    categories: [
      {
        listLocation: "Projects",
        header: "{{ __( 'Projects' ) }}"
      },
      {
        listLocation: "Tasks",
        header: "{{ __( 'Tasks' ) }}"
      }
    ]
  };
</script>

```



```

    ],
    getValue: "text",
    template: {
        type: "links",
        fields: {
            link: "link"
        }
    }
};
$(".search-element input").easyAutocomplete(options);
</script>
@endif
@stack('scripts')
@if(Session::has('success'))
<script>
    show_toastr('{{__('Success')}}', '!! session('success') !!', 'success');
</script>
@endif
@if(Session::has('error'))
<script>
    show_toastr('{{__('Error')}}', '!! session('error') !!', 'error');
</script>
@endif
@include('Chatify::layouts.footerLinks')
</body>
</html>

```

E. Layout Client View

```

<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="{{ csrf_token() }}">

    <title>
        @yield('page-title') - {{ isset($currentWorkspace->company) && $currentWorkspace->company != " ? $currentWorkspace->company : config('app.name', 'Taskly') }}
    </title>

    <link rel="shortcut icon" href="{{ asset(Storage::url('logo/favicon.png')) }}">

    <!-- General CSS Files -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">

```

```
<link href="https://cdnjs.cloudflare.com/ajax/libs/select2/4.0.10/css/select2.min.css"
rel="stylesheet"/>
```

```
<link rel="stylesheet" href="{{ asset('assets/css/iziToast.min.css') }}">
```

```
<!-- Template CSS -->
```

```
<link rel="stylesheet" href="{{ asset('assets/css/style.css') }}">
```

```
<link rel="stylesheet" href="{{ asset('assets/css/components.css') }}">
```

```
<link rel="stylesheet" href="{{ asset('assets/css/icons.min.css') }}">
```

```
<link href="{{ asset('assets/css/easy-autocomplete.min.css') }}" rel="stylesheet">
```

```
@stack('style')
```

```
@if(env('SITE_RTL')== 'on')
```

```
<link rel="stylesheet" href="{{ asset('assets/css/bootstrap-rtl.css') }}">
```

```
@endif
```

```
</head>
```

```
<body>
```

```
<div>
```

```
<div id="app">
```

```
<div class="main-wrapper">
```

```
<div class="navbar-bg"></div>
```

```
<nav class="text-center mt-3">
```

```

```

```
</nav>
```

```
<!-- Main Content -->
```

```
<div class="main-content" style="padding-left: 30px;padding-top: 20px;">
```

```
@yield('content')
```

```
</div>
```

```
<footer class="main-footer">
```

```
@include('partials.footer')
```

```
</footer>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div id="commanModel" class="modal fade" tabindex="-1" role="dialog" aria-
labelledby="modelCommanModelLabel" aria-hidden="true">
```

```
<div class="modal-dialog">
```

```
<div class="modal-content ">
```

```
<div class="modal-header">
```

```
<h4 class="modal-title" id="modelCommanModelLabel"></h4>
```

```
<button type="button" class="close" data-dismiss="modal" aria-
hidden="true">×</button>
```

```
</div>
```

```
<div class="modal-body"></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script src="https://code.jquery.com/ui/1.12.1/jquery-ui.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery.nicescroll/3.7.6/jquery.nicescroll.min.js"><
/script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.24.0/moment.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/select2/4.0.10/js/select2.min.js"></script>

<script src="{{ asset('assets/js/iziToast.min.js') }}"></script>
<script src="{{ asset('assets/js/stisla.js') }}"></script>
<script src="{{ asset('assets/js/scripts.js') }}"></script>
<script src="{{ asset('assets/js/scrollreveal.min.js') }}"></script>
<script src="{{ asset('assets/js/custom.js') }}"></script>
@stack('scripts')

@if ($message = Session::get('success'))
    <script>show_toastr('{{ __( 'Success' ) }}', '!! $message !!', 'success')</script>
@endif

@if ($message = Session::get('error'))
    <script>show_toastr('{{ __( 'Error' ) }}', '!! $message !!', 'error')</script>
@endif
</body>

</html>
```

REpubLIK INDONESIA
KEMENTERIAN HUKUM DAN HAK ASASI MANUSIA

SURAT PENCATATAN CIPTAAN

Dalam rangka perlindungan ciptaan di bidang ilmu pengetahuan, seni dan sastra berdasarkan Undang-Undang Nomor 28 Tahun 2014 tentang Hak Cipta, dengan ini menerangkan:

Nomor dan tanggal permohonan : EC00202211791, 17 Februari 2022

Pencipta

Nama : **Rangga Aprilio Utama, Cahyani Budihartanti dkk**
Alamat : Kp. Cidokom Rt/Rw 004/004, Kel. Cidokom, Kec. Gunung Sindur ,
Kabupaten Bogor, JAWA BARAT, 16340
Kewarganegaraan : Indonesia

Pemegang Hak Cipta

Nama : **Rangga Aprilio Utama, Cahyani Budihartanti dkk**
Alamat : Kp. Cidokom Rt/Rw 004/004, Kel. Cidokom, Kec. Gunung Sindur ,
Kabupaten Bogor, JAWA BARAT, 16340
Kewarganegaraan : Indonesia

Jenis Ciptaan : **Program Komputer**
Judul Ciptaan : **SIMAPO (Sistem Informasi Manajemen Proyek)**
Tanggal dan tempat diumumkan untuk pertama kali : 16 Februari 2022, di DKI Jakarta
di wilayah Indonesia atau di luar wilayah Indonesia
Jangka waktu perlindungan : Berlaku selama 50 (lima puluh) tahun sejak Ciptaan tersebut pertama kali
dilakukan Pengumuman.
Nomor pencatatan : 000327109

adalah benar berdasarkan keterangan yang diberikan oleh Pemohon.

Surat Pencatatan Hak Cipta atau produk Hak terkait ini sesuai dengan Pasal 72 Undang-Undang Nomor 28 Tahun 2014 tentang Hak Cipta.



a.n Menteri Hukum dan Hak Asasi Manusia
Direktur Jenderal Kekayaan Intelektual
u.b.
Direktur Hak Cipta dan Desain Industri

Dr. Syarifuddin, S.T., M.H.
NIP.197112182002121001

Disclaimer:

Dalam hal pemohon memberikan keterangan tidak sesuai dengan surat pernyataan, Menteri berwenang untuk mencabut surat pencatatan permohonan.

LAMPIRAN PENCIPTA

No	Nama	Alamat
1	Rangga Aprilio Utama	Kp. Cidokom Rt/Rw 004/004, Kel. Cidokom, Kec. Gunung Sindur
2	Cahyani Budihartanti	Gang Makmur 2 Kp.Bedahan No.92, Rt/Rw 006/001, Kel. Pabuaran Mekar, Kec. Cibinong
3	Tuslaela	Perumahan Villa Pertiwi, Blok G.XI No.2 Rt/Rw 006/016 Kel.Sukamaju, Kec. Cilodong
4	Indah Purnamasari	Komplek Atsiri Permai, Jln. Sedap Malam IV No.2, Rt/Rw 001/012, Kel. Ragajaya, Kec. Bojong Gede
5	Sri Rusiyati	Citra Gran Cluster Aversa Park Blok AA-8 No.27 RT/RW 006/011 Kel. Jatikarya, Kec. Jatisampurna
6	Abdul Rahman Kadafi	Perum. Griya Ciharang Asri Blok B No.9, Rt/Rw 003/007, Kel. Sukatani, Kec. Tapos
7	Indra Riyana Rahadjeng	Jl. Madrasah, Rt/Rw 004/003, Kel. Pondok Cina, Kec. Beji
8	Firstianty Wahyuhening Fibriany	Gg. Langgar Rt 06 Rw 10, Kel. Cawang, Kec. Kramat Jati

LAMPIRAN PEMEGANG

No	Nama	Alamat
1	Rangga Aprilio Utama	Kp. Cidokom Rt/Rw 004/004, Kel. Cidokom, Kec. Gunung Sindur
2	Cahyani Budihartanti	Gang Makmur 2 Kp.Bedahan No.92, Rt/Rw 006/001, Kel. Pabuaran Mekar, Kec. Cibinong
3	Tuslaela	Perumahan Villa Pertiwi, Blok G.XI No.2 Rt/Rw 006/016 Kel.Sukamaju, Kec. Cilodong
4	Indah Purnamasari	Komplek Atsiri Permai, Jln. Sedap Malam IV No.2, Rt/Rw 001/012, Kel. Ragajaya, Kec. Bojong Gede
5	Sri Rusiyati	Citra Gran Cluster Aversa Park Blok AA-8 No.27 RT/RW 006/011 Kel. Jatikarya, Kec. Jatisampurna
6	Abdul Rahman Kadafi	Perum. Griya Ciharang Asri Blok B No.9, Rt/Rw 003/007, Kel. Sukatani, Kec. Tapos
7	Indra Riyana Rahadjeng	Jl. Madrasah, Rt/Rw 004/003, Kel. Pondok Cina, Kec. Beji
8	Firstianty Wahyuhening Fibriany	Gg. Langgar Rt 06 Rw 10, Kel. Cawang, Kec. Kramat Jati





**LEMBAGA PENELITIAN DAN PENGABDIAN MASYARAKAT
UNIVERSITAS NUSA MANDIRI**

SURAT TUGAS
609/B.01/LPPM-UNM/I/2022

Tentang

**Pelindungan Ciptaan di Bidang Ilmu Pengetahuan, Seni dan Sastra Berdasarkan Undang-Undang
Nomor 28 Tahun 2014 tentang Hak Cipta
Nomor dan Tanggal Permohonan: EC00202211791, 17 Februari 2022
Nomor Pencatatan: 000327109**

**PADA SURAT PENCATATAN CIPTAAN
KEMENTERIAN HUKUM DAN HAK ASASI MANUSIA REPUBLIK INDONESIA**

Program Komputer

Judul Ciptaan :

SIMAPO (Sistem Informasi Manajemen Proyek)

MEMUTUSKAN

- Pertama : Kepada saudara
Indah Purnamasari S.T., M.Kom.
Sebagai Pencipta yang mempublikasikan karyanya.
- Kedua : Mempunyai tugas sbb:
Melaksanakan Tugas yang diberikan dengan penuh rasa tanggung jawab.
- Ketiga : Keputusan ini berlaku sejak tanggal ditetapkan, dengan ketentuan apabila
dikemudian hari terdapat kekeliruan akan diubah dan diperbaiki sebagaimana
mestinya.

Jakarta, 17 Januari 2022

Ketua LPPM
Universitas Nusa Mandiri

Andi Saryoko, M.Kom

Tembusan

- Rektor Universitas Nusa Mandiri
- Arsip
- Ybs