




MANUAL BOOK SIMAPO

Sistem Informasi Manajemen Proyek



PEMEGANG HAK CIPTA


Rangga Aprilio Utama, Cahyani Budihartanti, Tuslaela, Indah Purnamasari, Sri Rusiyati,
Abdul Rahman Kadafi, Indra Riyana Rahadjeng, Firstianty Wahyuhening Fibriany

SIMAPO (Sistem Informasi Manajemen Proyek)


SIMAPO (Sistem Informasi Manajemen Proyek) yaitu *Software Project Management* dimana *software* yang dibuat untuk mengatur manajemen tugas, waktu pengerjaan dan kerjasama dalam sebuah tim. Aplikasi ini dapat memudahkan seorang proyek manajer dalam mengelola tugas-tugas terkait dengan proyek yang sedang di kerjakan. Untuk menjalankan aplikasi *Project Management* ini pengguna dapat mengakses alamat Url <https://task.devapril.com/>

MENGAKSES HALAMAN USER


1. Ketikkan alamat URL <https://task.devapril.com/> berikut adalah tampilan login dari aplikasi *Project Management* ini:



2. Setelah melakukan login pengguna akan langsung di arahkan ke halaman dashboard, berikut adalah tampilannya:



3. Pada menu project terdapat menu untuk menambah project dan list project yang sebelumnya telah dibuat



-
- The screenshot shows the 'Project Detail' page for 'Ecommerce' in the 'WorkingOn' application. The left sidebar contains navigation links: Dashboard, Projects (highlighted), Tasks, Timesheet, Invoices, Clients, Users, Calendar, Notes, and Workspace Settings. The main content area displays project information: 'Testing Project Fitur By Rangga', start date '07 Nov 2021', due date '09 Apr 2022', and 6 total members. Below this are four summary cards: 'Days left: 58', 'Budget: Rp2,000,000,000', 'Total task: 10', and 'Comments: 2'. The 'Team Members (5)' section shows 'Rangga Aprilio' as the only member. The 'Clients (1)' section shows 'Client Test'. On the right, there are buttons for 'Timesheet', 'Gantt Chart', 'Task Board', and 'Bug Report'. Below these is a 'Progress' chart showing 'Last Week Tasks' and an 'Activity' log. Red annotations with arrows point to the 'Gantt Chart' button (labeled 'Melihat Gantt Chart'), the 'Task Board' button (labeled 'Melihat Taks board'), and the 'Add Member' icon in the 'Team Members' section (labeled 'Menambah Team member ke proyek').

-
- The screenshot displays the 'WorkingOn' application's 'Task Board'. The sidebar on the left contains navigation links: Dashboard, Projects (highlighted), Tasks, Timesheet, Invoices, Clients, Users, Calendar, Notes, and Workspace Settings. The main area is titled 'Task Board' and features a top navigation bar with a user profile (RA Ranga Aprilio), a notification bell, and a language selector (EN). Below the title bar, there are two buttons: 'Add New' (highlighted with a red box) and 'Back'. A red arrow points to the 'Add New' button with the text 'Tambah tugas'. The task board is organized into four columns: 'Todo' (2 tasks), 'In Progress' (3 tasks), 'Review' (2 tasks), and 'Done' (1 task). Each task card shows its priority (Low, Medium), title, due date, and a status icon. Red annotations highlight the 'View', 'Edit', and 'Delete' buttons on the first task in the 'Todo' column, and the 'Add New' button in the top right corner.
- | Todo (2) | In Progress (3) | Review (2) | Done |
|--|---|---|---|
| <p>Low</p> <p>Connect Payment</p> <p>22 Jan 2022</p> <p>0/0</p> <p>View</p> <p>Edit</p> <p>Delete</p> <p>Melihat Tugas</p> <p>Mengubah tugas</p> <p>Menghapus Tugas</p> | <p>Low</p> <p>CREATE UI SETTING</p> <p>07 Jan 2022</p> <p>0/0</p> <p>U</p> | <p>Medium</p> <p>Create API FOR STORE</p> <p>01 Feb 2022</p> <p>1/1</p> <p>B</p> | <p>Low</p> <p>CREATE DASHBOARD UI</p> <p>08 Nov 2021</p> <p>0/0</p> |
| <p>Medium</p> <p>ADD maps on store page</p> <p>17 Jan 2022</p> <p>25 Jan 2022</p> <p>0/0</p> <p>P</p> | <p>Low</p> <p>CREATE DATABASE AND FLOW for Profile store</p> <p>17 Jan 2022</p> <p>17 Jan 2022</p> <p>0/0</p> <p>A U</p> | <p>Low</p> <p>Buat UI Cart</p> <p>17 Jan 2022</p> <p>17 Jan 2022</p> <p>0/0</p> <p>U</p> | <p>Medium</p> <p>CREATE CART UI</p> <p>17 Jan 2022</p> <p>17 Jan 2022</p> <p>0/0</p> |
| | <p>Medium</p> <p>CREATE API FOR DISCOUNT FEATURE</p> <p>17 Jan 2022</p> <p>19 Jan 2022</p> <p>0/0</p> <p>P</p> | | <p>Low</p> <p>CREATE DB</p> <p>07 Jan 2022</p> <p>0/0</p> |

6. Pada menu task pengguna bisa melihat secara keseluruhan terkait tugas yang sedang berjalan

WorkingOn

RA Rangga Aprilio

Tasks

All Projects All Users All Status All Priority Select Date Range Oldest Apply

Show 10 entries

Search:

Task	Project	Milestone	Due Date	Assigned to	Status	Priority	Action
CREATE DASHBOARD UI	Ecommerce	SPRINT 1	2021-11-08	UI/UX	Done	Low	Edit Delete
CREATE UI SETTING	Ecommerce	SPRINT 1	2022-01-08	UI/UX	In Progress	Low	Edit Delete
CREATE DB	Ecommerce	SPRINT 1	2022-01-08	Programmer1	Done	Low	Edit Delete
CREATE DATABASE AND FLOW for Profile store	Ecommerce	SPRINT 1	2022-01-17	analisis UI/UX	In Progress	Low	Edit Delete
CREATE API FOR DISCOUNT FEATURE	Ecommerce	SPRINT 1	2022-01-19	Programmer1	In Progress	Medium	Edit Delete
Buat UI Cart	Ecommerce	SPRINT 2	2022-01-19	UI/UX	Review	Low	Edit Delete
CREATE CART UI	Ecommerce		2022-01-20	Programmer1	Done	Medium	Edit Delete

7. Pada menu Invoice pengguna dapat membuat invoice, mengubah maupun menghapus invoice yang sudah dibuat

WorkingOn

RA Rangga Aprilio

Invoices

Menambah invoice + Create


Show 10 entries

Search:

Invoice	Name	Issue Date	Due Date	Amount	Status	Action
#INV0003	Ecommerce	03 Jan 2022	14 Jan 2022	Rp976,877.00	Paid	Membuat dan menghapus Edit Delete
#INV0004	Ecommerce	02 Jan 2022	20 Jan 2022	Rp0.00	Sent	Edit Delete
#INV0005	Ecommerce	02 Jan 2022	19 Jan 2022	Rp0.00	Sent	Edit Delete


Showing 1 to 3 of 3 entries

8. Pada menu users scrum master dapat menambahkan user baru




Halaman Client


1. Client dapat mengakses alamat URL <https://task.devapril.com> lalu pilih menu client login. berikut adalah tampilannya :




2. Ketika client berhasil login, maka halaman akan di alihkan ke Dashboard



3. client dapat melihat detail invoice dengan memilih nomor invoice nya



4. Jika di perlukan client dapat mencetak invoice dengan memilih tombol print



-TERIMA KASIH-

SOURCE CODE SISTEM INFORMASI MANAJEMEN PROYEK

a. User Controller

```
class UserController extends Controller
{
    /**
     * Create a new controller instance.
     *
     * @return void
     */
    /**
     * Show the application dashboard.
     *
     * @return \Illuminate\Contracts\Support\Renderable
     */
    public function index($slug = "")
    {
        $currentWorkspace = Utility::getWorkspaceBySlug($slug);
        if($currentWorkspace)
        {
            $users = User::select('users.*', 'user_workspaces.permission',
'user_workspaces.is_active')->join('user_workspaces', 'user_workspaces.user_id', '=',
'users.id');
            $users->where('user_workspaces.workspace_id', '=', $currentWorkspace->id);
            $users = $users->get();
        }
        else
        {
            $users = User::where('type', '!=', 'admin')->get();
        }

        return view('users.index', compact('currentWorkspace', 'users'));
    }

    public function create(Request $request)
    {
        if(Auth::user()->type == 'admin')
        {
            return view('users.create');
        }
        else
        {
            return redirect()->back()->with('error',__('Permission denied.'));
        }
    }

    public function store(Request $request)
    {
        if(Auth::user()->type == 'admin')
```

```

{
    $validation = [
        'name' => ['required', 'string', 'max:255'],
        'workspace' => ['required', 'string', 'max:255'],
        'email' => ['required', 'string', 'email', 'max:255', 'unique:users'],
        'password' => ['required', 'string', 'min:4'],
    ];

    $validator = \Validator::make($request->all(), $validation);

    if($validator->fails())
    {
        $messages = $validator->getMessageBag();
        return redirect()->back()->with('error', $messages->first());
    }

    $objUser = User::create([
        'name' => $request->name,
        'email' => $request->email,
        'password' => Hash::make($request->password),
    ]);

    $objWorkspace = Workspace::create([
        'created_by'=>$objUser->id,
        'name'=>$request->workspace,
        'currency_code' => 'USD',
        'paypal_mode' => 'sandbox'
    ]);

    $objUser->currant_workspace = $objWorkspace->id;
    $objUser->save();

    UserWorkspace::create([
        'user_id' => $objUser->id,
        'workspace_id' => $objWorkspace->id,
        'permission' => 'Owner'
    ]);

    return redirect()->route('users.index', "")->with('success',__('User Created Successfully'));
}
else
{
    return redirect()->back()->with('error',__('Permission denied.'));
}
}
}

```

b. project controller

class ProjectController extends Controller

```

{
/**
 * Display a listing of the resource.
 *
 * @return \Illuminate\Http\Response
 */
public function index($slug)
{
    $objUser      = Auth::user();
    $currentWorkspace = Utility::getWorkspaceBySlug($slug);
    if($objUser->getGuard() == 'client')
    {
        $projects = Project::select('projects.*')->join('client_projects', 'projects.id', '=',
'client_projects.project_id')->where('client_projects.client_id', '=', $objUser->id)-
>where('projects.workspace', '=', $currentWorkspace->id)->get();
    }
    else
    {
        $projects = Project::select('projects.*')->join('user_projects', 'projects.id', '=',
'user_projects.project_id')->where('user_projects.user_id', '=', $objUser->id)-
>where('projects.workspace', '=', $currentWorkspace->id)->get();
    }

    return view('projects.index', compact('currentWorkspace', 'projects'));
}

/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 *
 * @return \Illuminate\Http\Response
 */
public function store($slug, Request $request)
{
    $objUser      = Auth::user();
    $currentWorkspace = Utility::getWorkspaceBySlug($slug);

    $request->validate(['name' => 'required']);

    $post = $request->all();

    $post['start_date'] = $post['end_date'] = date('Y-m-d');
    $post['workspace'] = $currentWorkspace->id;
    $post['created_by'] = $objUser->id;
    $userList          = [];
    if(isset($post['users_list']))
    {
        $userList = $post['users_list'];
    }
}

```

```

$userList[] = $objUser->email;
$userList = array_filter($userList);
$objProject = Project::create($post);

foreach($userList as $email)
{
    $permission = 'Member';
    $registerUsers = User::where('email', $email)->first();
    if($registerUsers)
    {
        if($registerUsers->id == $objUser->id)
        {
            $permission = 'Owner';
        }
    }
    else
    {
        $arrUser = [];
        $arrUser['name'] = 'No Name';
        $arrUser['email'] = $email;
        $password = Str::random(8);
        $arrUser['password'] = Hash::make($password);
        $arrUser['current_workspace'] = $objProject->workspace;
        $registerUsers = User::create($arrUser);
        $registerUsers->password = $password;

        $assignPlan = $registerUsers->assignPlan(1);

        try
        {
            Mail::to($email)->send(new SendLoginDetail($registerUsers));
        }
        catch(\Exception $e)
        {
            $smtp_error = __('E-Mail has been not sent due to SMTP configuration');
        }
    }
    $this->inviteUser($registerUsers, $objProject, $permission);
}

return redirect()->route('projects.index', $currentWorkspace->slug)->with('success',
__('Project Created Successfully!') . ((isset($smtp_error)) ? ' <br> <span class="text-
danger">' . $smtp_error . '</span>' : ''));
}

public function inviteUser(User $user, Project $project, $permission)
{
    // assign workspace first
    $is_assigned = false;
    foreach($user->workspace as $workspace)

```

```

{
    if($workspace->id == $project->workspace)
    {
        $is_assigned = true;
    }
}

if(!$is_assigned)
{
    UserWorkspace::create(
        [
            'user_id' => $user->id,
            'workspace_id' => $project->workspace,
            'permission' => $permission,
        ]
    );
    try
    {
        Mail::to($user->email)->send(new SendWorkspaceInvication($user, $project->workspaceData));
    }
    catch(\Exception $e)
    {
        $smtp_error = __('E-Mail has been not sent due to SMTP configuration');
    }
}

// assign project
$arrData = [];
$arrData['user_id'] = $user->id;
$arrData['project_id'] = $project->id;
$is_invited = UserProject::where($arrData)->first();
if(!$is_invited)
{
    $arrData['permission'] = json_encode(Utility::getAllPermission());
    UserProject::create($arrData);
    if($permission != 'Owner')
    {
        try
        {
            Mail::to($user->email)->send(new SendInvication($user, $project));
        }
        catch(\Exception $e)
        {
            $smtp_error = __('E-Mail has been not sent due to SMTP configuration');
        }
        Utility::sendNotification('project_assign', $project->workspaceData, $user->id, $project);
    }
}
}

```

```

}

public function invite(Request $request, $slug, $projectID)
{
    $currentWorkspace = Utility::getWorkspaceBySlug($slug);
    $post             = $request->all();
    $userList         = $post['users_list'];

    $objProject = Project::find($projectID);

    foreach($userList as $email)
    {
        $permission = 'Member';
        $registerUsers = User::where('email', $email)->first();
        if($registerUsers)
        {
            $this->inviteUser($registerUsers, $objProject, $permission);
        }
        else
        {
            $arrUser = [];
            $arrUser['name'] = 'No Name';
            $arrUser['email'] = $email;
            $password = Str::random(8);
            $arrUser['password'] = Hash::make($password);
            $arrUser['current_workspace'] = $objProject->workspace;
            $registerUsers = User::create($arrUser);
            $registerUsers->password = $password;

            try
            {
                Mail::to($email)->send(new SendLoginDetail($registerUsers));
            }
            catch(\Exception $e)
            {
                $smtp_error = __('E-Mail has been not sent due to SMTP configuration');
            }

            $this->inviteUser($registerUsers, $objProject, $permission);
        }
    }

    ActivityLog::create(
    [
        'user_id' => \Auth::user()->id,
        'user_type' => get_class(\Auth::user()),
        'project_id' => $objProject->id,
        'log_type' => 'Invite User',
        'remark' => json_encode(['user_id' => $registerUsers->id]),
    ]
    );
}

```

```

    }

    return redirect()->back()->with('success', __('Users Invited Successfully!')) .
    ((isset($smtp_error)) ? ' <br> <span class="text-danger">' . $smtp_error . '</span>' : '');
}

```

C. workspace controller

```

class WorkspaceController extends Controller
{
    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     *
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request)
    {
        $objUser = Auth::user();

        $request->validate(
            [
                'name' => [
                    'required',
                    'string',
                    'max:255',
                ],
            ]
        );

        $objWorkspace = Workspace::create(
            [
                'created_by' => $objUser->id,
                'name' => $request->name,
                'currency_code' => 'Rupiah',
                'paypal_mode' => 'sandbox',
            ]
        );

        UserWorkspace::create(
            [
                'user_id' => $objUser->id,
                'workspace_id' => $objWorkspace->id,
                'permission' => 'Owner',
            ]
        );

        $objUser->currant_workspace = $objWorkspace->id;
        $objUser->save();
    }
}

```

```

        return redirect()->route('home', $objWorkspace->slug)->with('success', __('Workspace
Created Successfully!'));
    }

```

```

/**

```

```

 * Remove the specified resource from storage.

```

```

 *

```

```

 * @param Int $workspaceID

```

```

 *

```

```

 * @return \Illuminate\Http\Response

```

```

 */

```

```

public function destroy($workspaceID)

```

```

{

```

```

    $objUser = Auth::user();

```

```

    $workspace = Workspace::find($workspaceID);

```

```

    if($workspace->created_by == $objUser->id)
    {

```

```

        UserWorkspace::where('workspace_id', '=', $workspaceID)->delete();

```

```

        Stage::where('workspace_id', '=', $workspaceID)->delete();

```

```

        $workspace->delete();
    }

```

```

        return redirect()->route('home')->with('success', __('Workspace Deleted
Successfully!'));
    }

```

```

}

```

```

else

```

```

{

```

```

    return redirect()->route('home')->with('error', __("You can't delete Workspace!"));

```

```

}

```

```

}

```

```

/**

```

```

 * Leave the specified resource from storage.

```

```

 *

```

```

 * @param Int $workspaceID

```

```

 *

```

```

 * @return \Illuminate\Http\Response

```

```

 */

```

```

public function leave($workspaceID)

```

```

{

```

```

    $objUser = Auth::user();

```

```

    $userProjects = Project::where('workspace', '=', $workspaceID)->get();

```

```

    foreach($userProjects as $userProject)
    {

```

```

        UserProject::where('project_id', '=', $userProject->id)->where('user_id', '=', $objUser-
>id)->delete();
    }

```

```

}

```

```

    UserWorkspace::where('workspace_id', '=', $workspaceID)->where('user_id', '=',
$objUser->id)->delete();
}

```

```

        return redirect()->route('home')->with('success', __('Workspace Leave Successfully!'));
    }

/**
 * Remove the specified resource from storage.
 *
 * @param Int $workspaceID
 *
 * @return \Illuminate\Http\Response
 */
public function changeCurrentWorkspace($workspaceID)
{
    $objWorkspace = Workspace::find($workspaceID);
    if($objWorkspace->is_active)
    {
        $currentWorkspace = Utility::getWorkspaceBySlug($objWorkspace->slug);
        $objUser = Auth::user();
        $objUser->current_workspace = $workspaceID;
        $objUser->save();

        return redirect()->route('home')->with('success', __('Workspace Change Successfully!'));
    }
    else
    {
        return redirect()->back()->with('error', __('Workspace is locked'));
    }
}

```

D. Layout admin view

```

<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="{{ csrf_token() }}">

    <title>
        @if(trim($__env->yieldContent('page-title')) && Auth::user()->type == 'admin')
            @yield('page-title') - {{ config('app.name', 'Taskly') }}
        @else
            @yield('page-title') - {{ isset($currentWorkspace->company) &&
$currentWorkspace->company != " ? $currentWorkspace->company : config('app.name',
'Taskly') }}
        @endif
    </title>

    <link rel="shortcut icon" href="{{ asset(Storage::url('logo/favicon.png')) }}">

```

```

<!-- Font Awesome 5 -->
<link rel="stylesheet" href="{{ asset('assets/libs/@fontawesome/fontawesome-free/css/all.min.css') }}">
<link rel="stylesheet" href="{{ asset('assets/libs/animate.css/animate.min.css') }}">
<link rel="stylesheet" href="{{ asset('assets/libs/bootstrap-timepicker/css/bootstrap-timepicker.css') }}">
<link rel="stylesheet" href="{{ asset('assets/libs/bootstrap-daterangepicker/daterangepicker.css') }}">
<link rel="stylesheet" href="{{ asset('assets/libs/select2/dist/css/select2.min.css') }}">

@stack('css-page')

<link rel="stylesheet" href="{{ asset('assets/css/site.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/ac.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/datatables.min.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/stylesheet.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/custom.css') }}">
@if(env('SITE_RTL')=='on')
    <link rel="stylesheet" href="{{ asset('assets/css/bootstrap-rtl.css') }}">
@endif
<meta name="url" content="{{ url('').'/'.config('chatify.routes.prefix') }}" data-user="{{ Auth::user()->id }}">
<script src='https://unpkg.com/nprogress@0.2.0/nprogress.js'></script>
</head>

<body class="application application-offset">

<div class="container-fluid container-application">

    <script>
        var dataTableLang = {
            paginate: {previous: "<i class='fas fa-angle-left'>", next: "<i class='fas fa-angle-right'>"},
            lengthMenu: "{{ __('Show') }} _MENU_ {{ __('entries') }}",
            zeroRecords: "{{ __('No data available in table.') }}",
            info: "{{ __('Showing') }} _START_ {{ __('to') }} _END_ {{ __('of') }} _TOTAL_ {{ __('entries') }}",
            infoEmpty: "{{ __('Showing 0 to 0 of 0 entries') }}",
            infoFiltered: "{{ __('(filtered from _MAX_ total entries') }}",
            search: "{{ __('Search:') }}",
            thousands: ",",
            loadingRecords: "{{ __('Loading...') }}",
            processing: "{{ __('Processing...') }}"
        }
    </script>

    @include('partials.sidebar')

    <div class="main-content position-relative">

```

```

    @include('partials.topnav')

    <div class="page-content">
        <div class="page-title">
            <div class="row justify-content-between align-items-center mb-3">
                @if(trim($__env->yieldContent('page-title'))
                <div class="col-xl-5 col-lg-4 col-md-12 d-flex align-items-center justify-
content-between justify-content-md-start">
                    <div class="d-inline-block">
                        <h5 class="h4 d-inline-block font-weight-400 mb-0">@yield('page-
title')</h5>
                    </div>
                </div>
            @endif
            <div class="col-xl-7 col-lg-8 col-md-12 d-flex align-items-center justify-content-
between justify-content-md-end">
                <div class="row d-flex justify-content-end">
                    @if(trim($__env->yieldContent('action-button'))
                    <div class="col-xl-2 col-lg-2 col-md-4 col-sm-6 col-6 pt-lg-3 pt-xl-2">
                        <div class="all-button-box mb-3">
                            @yield('action-button')
                        </div>
                    </div>
                    @elseif(trim($__env->yieldContent('multiple-action-button'))
                    @yield('multiple-action-button')
                @endif
            </div>
        </div>
    </div>
    </div>
    </div>

    @yield('content')
</div>

    @include('partials.footer')

</div>
</div>

<div class="modal fade" id="commonModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog modal-dialog-centered" role="document">
        <div class="modal-content">
            <div>
                <h4 class="h4 font-weight-400 float-left modal-title"
id="exampleModalLabel"></h4>
                <a href="#" class="more-text widget-text float-right close-icon" data-
dismiss="modal" aria-label="Close">{{__('Close')}}</a>
            </div>
            <div class="modal-body">

```

```

        <div class="card card-box">
        </div>
    </div>
</div>
</div>
</div>

@if(Auth::user()->type != 'admin')
    <div class="modal fade" id="modelCreateWorkspace" tabindex="-1" role="dialog" aria-
labelledby="createWorkspaceModalLabel" aria-hidden="true">
        <div class="modal-dialog modal-dialog-centered" role="document">
            <div class="modal-content">
                <div>
                    <h4 class="h4 font-weight-400 float-left modal-title"
id="exampleModalLabel">{{ __('Create Your Workspace') }}</h4>
                    <a href="#" class="more-text widget-text float-right close-icon" data-
dismiss="modal" aria-label="Close">{{ __('Close') }}</a>
                </div>
                <div class="modal-body">
                    <div class="card bg-none card-box">
                        <form class="px-3" method="post" action="{{ route('add-workspace') }}">
                            @csrf
                            <div class="row">
                                <div class="col-md-12">
                                    <label for="workspacename" class="form-control-label">{{
__('Name') }}</label>
                                    <input class="form-control" type="text" id="workspacename"
name="name" required="" placeholder="{{ __('Workspace Name') }}">
                                </div>
                                <div class="col-md-12">
                                    <input type="submit" value="{{ __('Save') }}" class="btn-create
badge-blue">
                                    <input type="button" value="{{ __('Cancel') }}" class="btn-create bg-
gray" data-dismiss="modal">
                                </div>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
@endif

@php
    App::setLocale(env('DEFAULT_LANG'));
    $currantLang = 'en'
@endphp

<!-- Scripts -->

```

```
<!-- Core JS - includes jquery, bootstrap, popper, in-view and sticky-kit -->
```

```
<script src="{{ asset('assets/js/site.core.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/progressbar.js/dist/progressbar.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/moment/min/moment.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/bootstrap-notify/bootstrap-notify.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/bootstrap-timepicker/js/bootstrap-timepicker.js')
 }}"></script>
```

```
<script src="{{ asset('assets/libs/bootstrap-daterangepicker/daterangepicker.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/select2/dist/js/select2.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/nicescroll/jquery.nicescroll.min.js') }}"></script>
```

```
<script src="{{ asset('assets/libs/apexcharts/dist/apexcharts.min.js') }}"></script>
```

```
@if(env('CHAT_MODULE') == 'yes' && isset($currentWorkspace) &&
$currentWorkspace)
```

```
    @auth('web')
```

```
        {{-- Pusher JS--}}
```

```
        <script src="https://js.pusher.com/5.0/pusher.min.js"></script>
```

```
        <script>
```

```
            $(document).ready(function () {
                pushNotification('{{ Auth::id() }}');
            });
```

```
function pushNotification(id) {
```

```
    // ajax setup form csrf token
```

```
    $.ajaxSetup({
```

```
        headers: {
```

```
            'X-CSRF-TOKEN': $('meta[name="csrf-token"]').attr('content')
```

```
        }
```

```
    });
```

```
    // Enable pusher logging - don't include this in production
```

```
    Pusher.logToConsole = false;
```

```
    var pusher = new Pusher('{{ env('PUSHER_APP_KEY') }}', {
```

```
        cluster: '{{ env('PUSHER_APP_CLUSTER') }}',
```

```
        forceTLS: true
```

```
    });
```

```
    var channel = pusher.subscribe('{{ $currentWorkspace->slug }}');
```

```
    channel.bind('notification', function (data) {
```

```
        if (id == data.user_id) {
```

```
            $(".notification-toggle").addClass('beep');
```

```
            $(".notification-dropdown .dropdown-list-icons").prepend(data.html);
```

```
        }
```

```
    });
```

```
    channel.bind('chat', function (data) {
```

```

        if (id == data.to) {
            getChat();
        }
    });
}

function getChat() {
    $.ajax({
        url: '{{route('message.data')}}',
        cache: false,
        dataType: 'html',
        success: function (data) {
            if (data.length) {
                $(".message-toggle").addClass('beep');
                $(".dropdown-list-message").html(data);
                LetterAvatar.transform();
            }
        }
    })
}

getChat();

$(document).on("click", ".mark_all_as_read", function () {
    $.ajax({
        url: '{{route('notification.seen',$currentWorkspace->slug)}}',
        type: "get",
        cache: false,
        success: function (data) {
            $(".notification-dropdown .dropdown-list-icons").html("");
            $(".notification-toggle").removeClass('beep');
        }
    })
});

$(document).on("click", ".mark_all_as_read_message", function () {
    $.ajax({
        url: '{{route('message.seen',$currentWorkspace->slug)}}',
        type: "get",
        cache: false,
        success: function (data) {
            $(".dropdown-list-message").html("");
            $(".message-toggle").removeClass('beep');
        }
    })
});
</script>
{{-- End Pusher JS--}}
@endauth
@endif

```

```

<!-- Site JS -->
<script src="{{ asset('assets/js/letter.avatar.js') }}"></script>
<script src="{{ asset('assets/js/fire.modal.js') }}"></script>
<script src="{{ asset('assets/js/site.js') }}"></script>
<script src="{{ asset('assets/js/jquery.dataTables.min.js') }}"></script>
<!-- Demo JS - remove it when starting your project -->
{{--<script src="{{ asset('assets/js/demo.js') }}"></script>--}}
<script src="{{ asset('assets/js/custom.js') }}"></script>
<script>
    var date_picker_locale = {
        format: 'YYYY-MM-DD',
        daysOfWeek: [
            "{{__('Sun')}}",
            "{{__('Mon')}}",
            "{{__('Tue')}}",
            "{{__('Wed')}}",
            "{{__('Thu')}}",
            "{{__('Fri')}}",
            "{{__('Sat')}}"
        ],
        monthNames: [
            "{{__('January')}}",
            "{{__('February')}}",
            "{{__('March')}}",
            "{{__('April')}}",
            "{{__('May')}}",
            "{{__('June')}}",
            "{{__('July')}}",
            "{{__('August')}}",
            "{{__('September')}}",
            "{{__('October')}}",
            "{{__('November')}}",
            "{{__('December')}}"
        ],
    };
    var calender_header = {
        today: "{{__('today')}}",
        month: '{{__('month')}}',
        week: '{{__('week')}}',
        day: '{{__('day')}}',
        list: '{{__('list')}}'
    };
</script>

```

```
@if(env('gdpr_cookie')== 'on')
```

```
<script type="text/javascript">
```

```
    var defaults = {
```

```
'messageLocales': {
    /*'en': 'We use cookies to make sure you can have the best experience on our website. If
you continue to use this site we assume that you will be happy with it.'*/
    'en': '{{env('cookie_text')}}'
```

```
},
'buttonLocales': {
    'en': 'Ok'
},
'cookieNoticePosition': 'bottom',
'learnMoreLinkEnabled': false,
'learnMoreLinkHref': '/cookie-banner-information.html',
'learnMoreLinkText': {
    'it': 'Saperne di più',
    'en': 'Learn more',
    'de': 'Mehr erfahren',
    'fr': 'En savoir plus'
},
'buttonLocales': {
    'en': 'Ok'
},
'expiresIn': 30,
'buttonBgColor': '#d35400',
'buttonTextColor': '#fff',
'noticeBgColor': 'var(--primary)',
'noticeTextColor': '#fff',
'linkColor': '#009fdd'
};
</script>
<script src="{{ asset('assets/js/cookie.notice.js') }}"></script>
@endif
```

```
@if(isset($currentWorkspace) && $currentWorkspace)
<script src="{{ asset('assets/js/jquery.easy-autocomplete.min.js') }}"></script>
<script>
    var options = {
        url: function (phrase) {
            return "@auth('web'){{ route('search.json',$currentWorkspace-
>slug) }}"@elseauth{{ route('client.search.json',$currentWorkspace->slug) }}"@endauth/" +
phrase;
        },
        categories: [
            {
                listLocation: "Projects",
                header: "{{ __('Projects') }}"
            },
            {
                listLocation: "Tasks",
                header: "{{ __('Tasks') }}"
            }
        ]
    };
</script>
```

```

        ],
        getValue: "text",
        template: {
            type: "links",
            fields: {
                link: "link"
            }
        }
    };
    $(".search-element input").easyAutocomplete(options);
</script>
@endif
@stack('scripts')
@if(Session::has('success'))
    <script>
        show_toastr('{{__('Success')}}', '!! session('success') !!', 'success');
    </script>
@endif
@if(Session::has('error'))
    <script>
        show_toastr('{{__('Error')}}', '!! session('error') !!', 'error');
    </script>
@endif
@include('Chatify::layouts.footerLinks')
</body>
</html>

```

E. Layout Client View

```

<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="{{ csrf_token() }}">

    <title>
        @yield('page-title') - {{ isset($currentWorkspace->company) && $currentWorkspace->company != " ? $currentWorkspace->company : config('app.name', 'Taskly') }}
    </title>

    <link rel="shortcut icon" href="{{ asset(Storage::url('logo/favicon.png')) }}">

    <!-- General CSS Files -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">

```

```

<link href="https://cdnjs.cloudflare.com/ajax/libs/select2/4.0.10/css/select2.min.css"
rel="stylesheet"/>
<link rel="stylesheet" href="{{ asset('assets/css/iziToast.min.css') }}">

<!-- Template CSS -->
<link rel="stylesheet" href="{{ asset('assets/css/style.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/components.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/icons.min.css') }}">
<link href="{{ asset('assets/css/easy-autocomplete.min.css') }}" rel="stylesheet">
@stack('style')
@if(env('SITE_RTL')== 'on')
    <link rel="stylesheet" href="{{ asset('assets/css/bootstrap-rtl.css') }}">
@endif
</head>

<body>

<div>
    <div id="app">
        <div class="main-wrapper">
            <div class="navbar-bg"></div>
            <nav class="text-center mt-3">
                
            </nav>
            <!-- Main Content -->
            <div class="main-content" style="padding-left: 30px;padding-top: 20px;">
                @yield('content')
            </div>
            <footer class="main-footer">
                @include('partials.footer')
            </footer>
        </div>
    </div>
</div>

<div id="commanModel" class="modal fade" tabindex="-1" role="dialog" aria-
labelledby="modelCommanModelLabel" aria-hidden="true">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h4 class="modal-title" id="modelCommanModelLabel"></h4>
                <button type="button" class="close" data-dismiss="modal" aria-
hidden="true">×</button>
            </div>
            <div class="modal-body"></div>
        </div>
    </div>
</div>

```

```

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script src="https://code.jquery.com/ui/1.12.1/jquery-ui.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery.nicescroll/3.7.6/jquery.nicescroll.min.js"><
/script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.24.0/moment.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/select2/4.0.10/js/select2.min.js"></script>

<script src="{{ asset('assets/js/iziToast.min.js') }}"></script>
<script src="{{ asset('assets/js/stisla.js') }}"></script>
<script src="{{ asset('assets/js/scripts.js') }}"></script>
<script src="{{ asset('assets/js/scrollreveal.min.js') }}"></script>
<script src="{{ asset('assets/js/custom.js') }}"></script>
@stack('scripts')

@if ($message = Session::get('success'))
    <script>show_toastr('{{ __('Success') }}', '{{!! $message !!}}', 'success')</script>
@endif

@if ($message = Session::get('error'))
    <script>show_toastr('{{ __('Error') }}', '{{!! $message !!}}', 'error')</script>
@endif
</body>

</html>

```

SURAT PENCATATAN CIPTAAN

Dalam rangka perlindungan ciptaan di bidang ilmu pengetahuan, seni dan sastra berdasarkan Undang-Undang Nomor 28 Tahun 2014 tentang Hak Cipta, dengan ini menerangkan:

Nomor dan tanggal permohonan : EC00202211791, 17 Februari 2022

Pencipta

Nama : **Rangga Aprilio Utama, Cahyani Budihartanti dkk**
Alamat : Kp. Cidokom Rt/Rw 004/004, Kel. Cidokom, Kec. Gunung Sindur ,
Kabupaten Bogor, JAWA BARAT, 16340
Kewarganegaraan : Indonesia

Pemegang Hak Cipta

Nama : **Rangga Aprilio Utama, Cahyani Budihartanti dkk**
Alamat : Kp. Cidokom Rt/Rw 004/004, Kel. Cidokom, Kec. Gunung Sindur ,
Kabupaten Bogor, JAWA BARAT, 16340
Kewarganegaraan : Indonesia
Jenis Ciptaan : **Program Komputer**
Judul Ciptaan : **SIMAPO (Sistem Informasi Manajemen Proyek)**
Tanggal dan tempat diumumkan untuk pertama kali : 16 Februari 2022, di DKI Jakarta
di wilayah Indonesia atau di luar wilayah Indonesia
Jangka waktu perlindungan : Berlaku selama 50 (lima puluh) tahun sejak Ciptaan tersebut pertama kali
dilakukan Pengumuman.
Nomor pencatatan : 000327109

adalah benar berdasarkan keterangan yang diberikan oleh Pemohon.

Surat Pencatatan Hak Cipta atau produk Hak terkait ini sesuai dengan Pasal 72 Undang-Undang Nomor 28 Tahun 2014 tentang Hak Cipta.



a.n Menteri Hukum dan Hak Asasi Manusia
Direktur Jenderal Kekayaan Intelektual
u.b.
Direktur Hak Cipta dan Desain Industri

Dr. Syarifuddin, S.T., M.H.
NIP.197112182002121001

LAMPIRAN PENCIPTA

No	Nama	Alamat
1	Rangga Aprilio Utama	Kp. Cidokom Rt/Rw 004/004, Kel. Cidokom, Kec. Gunung Sindur
2	Cahyani Budihartanti	Gang Makmur 2 Kp.Bedahan No.92, Rt/Rw 006/001, Kel. Pabuaran Mekar, Kec. Cibinong
3	Tuslaela	Perumahan Villa Pertiwi, Blok G.XI No.2 Rt/Rw 006/016 Kel.Sukamaju, Kec. Cilodong
4	Indah Purnamasari	Komplek Atsiri Permai, Jln. Sedap Malam IV No.2, Rt/Rw 001/012, Kel. Ragajaya, Kec. Bojong Gede
5	Sri Rusiyati	Citra Gran Cluster Aversa Park Blok AA-8 No.27 RT/RW 006/011 Kel. Jatikarya, Kec. Jatisampurna
6	Abdul Rahman Kadafi	Perum. Griya Ciherang Asri Blok B No.9, Rt/Rw 003/007, Kel. Sukatani, Kec. Tapos
7	Indra Riyana Rahadjeng	Jl. Madrasah, Rt/Rw 004/003, Kel. Pondok Cina, Kec. Beji
8	Firstianty Wahyuhening Fibriany	Gg. Langgar Rt 06 Rw 10, Kel. Cawang, Kec. Kramat Jati

LAMPIRAN PEMEGANG

No	Nama	Alamat
1	Rangga Aprilio Utama	Kp. Cidokom Rt/Rw 004/004, Kel. Cidokom, Kec. Gunung Sindur
2	Cahyani Budihartanti	Gang Makmur 2 Kp.Bedahan No.92, Rt/Rw 006/001, Kel. Pabuaran Mekar, Kec. Cibinong
3	Tuslaela	Perumahan Villa Pertiwi, Blok G.XI No.2 Rt/Rw 006/016 Kel.Sukamaju, Kec. Cilodong
4	Indah Purnamasari	Komplek Atsiri Permai, Jln. Sedap Malam IV No.2, Rt/Rw 001/012, Kel. Ragajaya, Kec. Bojong Gede
5	Sri Rusiyati	Citra Gran Cluster Aversa Park Blok AA-8 No.27 RT/RW 006/011 Kel. Jatikarya, Kec. Jatisampurna
6	Abdul Rahman Kadafi	Perum. Griya Ciherang Asri Blok B No.9, Rt/Rw 003/007, Kel. Sukatani, Kec. Tapos
7	Indra Riyana Rahadjeng	Jl. Madrasah, Rt/Rw 004/003, Kel. Pondok Cina, Kec. Beji
8	Firstianty Wahyuhening Fibriany	Gg. Langgar Rt 06 Rw 10, Kel. Cawang, Kec. Kramat Jati

